# **IDEAL 2270**



← 22 cm →

Deskside document shredder with a second shredding head for CDs/DVDs and two separate shred bins for easy waste separation.

Level P-2	4 mm strip cut
Sheet capacity*:	11-13   9-11

Level P-4 3 x 25 mm particle cut

Sheet capacity\*: 6-7 | 5-6


**Level P-5** 2 x 15 mm particle cut

Sheet capacity\*: 4-5 | 3-4



# Technical specifications

Volume	20 litres (bin for paper)
	3 litres (bin for CDs/DVDs)
Power	230 V / 50 Hz**
Motor capacity	150 Watt single phase motor
** other voltages availab	ole



Dimensions	537 x 345 x 220 mm (H x W x D)
Weight	12.5 kg / 13.0 kg (particle cut)
ID-No.	11227001

GS certificate-No. DP 10031

## **Product characteristics**

Two separate feed openings with separate shredding heads for paper and for CDs/DVDs. Two integrated shred containers for easy waste separation. Photo cell controlled automatic start and stop. Multifunction switch for stand-by / stop (off) / reverse. Pilot light. Transparent safety flap in the feed opening for paper as additional safety element. High-quality, paper clip proof cutting shafts from special hardened steel with lifetime guarantee. Quiet, powerful and energy-efficient single phase motor. Double motor protection. Fully closed gear box housing and durable gears. High-quality wooden cabinet. Removable bin for paper shreds made from impact-resistant plastic with large window showing fill level. Separate bin for CDs/DVDs or credit cards. Magnetic proximity switch for automatic stop if the shred bins are removed from the cabinet (cross cut).



<sup>\*</sup> A4 paper 70 g/m² | 80 g/m²

# **IDEAL 2270**

#### **Features**



### **SOLID STEEL CUTTING SHAFTS**

Robust and durable: high-quality paper clip proof cutting shafts with lifetime guarantee under conditions of fair wear and tear.



#### **SAFETY FLAP**

The safety flap in the feed opening is an additional safety element to keep fingers, ties or other objects away from the cutting shafts.



#### **SECOND CUTTING HEAD**

Separate feeding slot for the disposal of CDs and DVDs with a second cutting head. Photo cell for automatic start and stop.



#### **MULTIFUNCTION SWITCH**

Easy operation is guaranteed with the threeposition rocker switch for stand-by / stop (off) / reverse.



### **REMOVABLE SHRED BIN**

With large window showing fill level. Second bin for CD/DVD shreds for easy waste separation.















CK Business Center 2. rue Léon Laval Z.A. Am Bann L-3372 Leudelange

Tél: +352 26 380-1 Fax: 26 380-380

www.ck-online.lu www.konicaminolta.lu postprint@ck-online.lu

certificate no. **DP 10031** dated 25.09.2012



# **GS Test Certificate**

Name and address of the holder of the certificate:

(customer):

Krug & Priester GmbH & Co. KG Simon-Schweitzer-Straße 34

72336 Balingen

Name and address of the

Manufacturer:

see above

Product designation: Paper Shredder

Type: 11221002, 11223002, 11227001

Testing based on: DIN EN 60950-1:2011-01+A12:2011-08

EN 60950-1:2006-04+A11:2009-03+A1:2010-03+A12:2011-02

IEC 60950-1:2005-12+AMD1:2009-12 Information technology equipment – Safety;

Part 1: General requirements

EN 12100-2:2004 Safety of machinery – Basic concepts, general principles for design; Part 2: Technical principles EN ISO 13857:2008 Safety of machinery – Safety distances to prevent hazard zones being

reached by upper and lower limbs

Remarks: This GS Test Certificate replaces the GS Test Certificate

DP 10031 dated 22.03.2010.

The type tested meets the requirements specified in article 21 para. 1 of the German Product Safety Act. The holder of the certificate is entitled to affix the GS mark shown overleaf to the products complying with the type tested. At that, the holder of the certificate shall observe the conditions specified overleaf.

The present certificate including the right to affix the GS mark is valid until: 21.03.2015

Further provisions concerning the validity, the extension of the validity and other conditions are laid down in the Rules of Procedure for Testing and Certification of August 2012.



Signature (Dipl.-Ing. Vogl)

Postal address: Postfach • D-65173 Wiesbaden • Office: Rheinstr. 6-8 • D-65185 Wiesbaden Phone: +49 (0) 611/131-8219 • E-Mail: pruefstelle-dp@bgetem.de 612.17-So/Ho • Test report: A 09194 • Produktschlüsselnummer: 001.1001