

# Android SpeechiTouch UHD - 86" interactive Touch Screen

Réf.: ST-86-UHD-AND-K-005-SDAS

Interactive touchscreen board SpeechiTouch 86 inches, image resolution 4K UHD, Android, 20 touchpoints

The new interactive SpeechiTouch board runs on an Android operating system, which makes it as easy and fast to use as a big touch pad.

Autonomous, complete and intuitive, it is the perfect touchscreen board for meetings halls and small classrooms.

#### Configure your interactive board by yourself

You can also configure your interactive touchscreen board and all its accessories by yourself.



# Fiche technique

| Touch Technology                 | Infrared   |
|----------------------------------|--|
| Supported Operating Systems (OS) | Windows, Mac, Linux  |
| Number of simultaneous hits      | 20 touchpoints   |
| Precision                        | +/- 2mm  |
| Response time                    | 8 ms   |
| Screen diagonal                  | 86"  |
| Display ratio                    | 16:9   |
| Brightness                       | 330 cd/m² mini   |
| Viewing angle                    | 179°   |
| Contrast Ratio                   | 4000 : 1   |
| Accessories included             | Guide de démarrage rapide, clé USB (contient le manuel d'utilisation), 2 stylets, câble d'alimentation (1.8m), câble HDMI (3m), câble USB TOUCH (3m), télécommande (piles inclues) |
| Available sizes                  | 55", 65", 75" et 86"   |
| Display resolution               | 4K - UHD (3840 x 2160)   |
| Android version                  | Android 7  |
| Android Resolution               | 1080p  |
| CPU                              | ARM Cortex A73 dual core   |
| GPU                              | Mali 450 x 2   |
| RAM                              | 2 Go   |
| ROM (internal SSD hard drive)    | 16 Go  |
| Protective glass                 | 4mm MOHS level 7   |
| Loudspeakers                     | 2 x 15W  |

| Connectics                                       | 1 x RS-232, 1 x Audio in, 1x Audio out, 2 x Touch, 1 VGA in, 1 x Ethernet (LAN), 2 x HDMI in, 4 x USB 2.0, 1 x USB 3.0, 1 x AV in, 1x SPDIF |
|--|---|
| Warranty   | 3 years   |
| Wifi   | Clé WiFi disponible en option   |
| Software included                                | Eshare  |
| OPS PC   | Slot available for an OPS (not supplied)  |
| Product dimensions without packaging (W x H x D) | 1957 x 1162 x 89 mm   |
| Net weight (without packaging)                   | 67Kg  |
| VESA (mm / mm)                                   | 800 * 400 mm  |
| Stylus   | 2 stylets passifs (2 pointes différentes)   |
| Display operating system                         | Android (Windows OPS capability)  |
| Compatible operating systems (screen mirroring)  | Windows / Mac / Linux   |

## Garantie

Garantie: 3 years carry in warranty. Des extensions de garantie sont disponibles.

# Extensions de garantie disponibles

| Warranty: 3 years on-site with assembly / disassembly (86")) | 208,00 € |
|--|----------|
| Warranty: 5 years on site with assembly / disassembly (86")  | 386,00 € |
| Warranty: Extension 5 years workshop return (86")            | 104,00 € |

# Description détaillée

### A very solid interactive board

Thanks to its aluminium frame and tempered glass, our touchscreen boards are reinforced to withstand daily shocks. Moreover, there is no maintenance to do and that contributes in increasing the normal lifespan of the interactive board which is 30 years.

## A touchscreen board with 20 touchpoints and 40% lighter

The new version of the interactive board has 20 touchpoints (instead of 10) and weighs only 78 kg (arguably the lightest 86" interactive board on the market). It is easier to install on all walls.

#### An Android core for a faster use

With their Android core, you can use our interactive boards without having to connect a computer first. Start your presentations in no time, without having to wait for your PC to start.

Moreover, the Android operating system makes the use of the board smoother and easier, thanks to its gestures recognition feature similar to that of a tablet.

#### A Wifi module to create a wireless hotspot

With the Wi-fi card of that range of touchscreen boards, create your personal Wi-fi network and turn your interactive screen into a wi-fi terminal which other people in the classroom or the meeting hall will connect to.

#### A SAMBA feature to share your files

With the SAMBA feature, access to external drives on your corporate network and easily share files among collaborators.

### Available in several sizes and resolutions

The interactive board SpeechiTouch is available in different sizes: 55", 65", 75" and 86" so you can equip any hall depending on its capacity. That range of touchscreen boards is exclusively composed of 4K models so to offer you an image resolution of excellent

quality.

## lolaos, a great software for annotation

That software is offered with SpeechiTouch touchscreen boards. The Iolaos toolbar, easily accessible, is obtained by a click on both sides of your board to annotate all your presentations. The software offers many additional features to enrich your courses: digital resources, insertion of multimedia contents, writing recognition and many other options. Iolaos will allow you, in just a few steps, to build a quality presentation on your interactive board and to show it to your audience.





VESA: 700 x 400 mm





